

07

CB600F Hornet

HONDA
The Power of Dreams



Pure emotion



Sensually hypnotic. Simply provocative. Stunningly irresistible.

Few, if any bikes have ever sported such desirable streetfighter looks.

The muscular sculptured form and aggressive purposeful stance scream defiance. A designer's vision, made real. A pure street-smart bike that side-steps convention. Perfection in style and substance.

The new CB600F Hornet is simply beyond compare.

It begs you to love it. Ride it.





Pure adrenalin







Pure spirit



Blistering power. Scintillating sound. Scorching performance.

This is a desirable machine for those who aren't prepared to compromise or conform. Delivering incredible torque, the new Hornet shares the same powerplant as the incredible '07 CBR600RR, reconfigured for the Hornet's multi-use appeal. With lightweight, compact proportions, this more than capable streetfighter is perfect for carving through the city or charging through twisty terrain.





Pure sensation





PGM-FI

HECS3

EURO-3

HMAS

HISS

CABS*



'07 CB600F Hornet

Engine Liquid-cooled 4-stroke 16-valve DOHC inline-4

Displacement 599 cm³

Bore x Stroke 67 x 42.5 mm

Compression Ratio 12 : 1

Max. Power Output 75 kW/12,000 min⁻¹ (95/1/EC)

Max. Torque 63.5 Nm/10,500 min⁻¹ (95/1/EC)

Carburation PGM-FI electronic fuel injection

Ignition System Computer-controlled digital transistorised with electronic advance

Starter Electric

Transmission 6-speed

Final Drive #525 O-ring sealed chain

Dimensions (LxWxH) 2,090 x 740 x 1,095 mm

Wheelbase 1,435 mm

Seat Height 800 mm

Ground Clearance 135 mm

Fuel Tank Capacity 19 litres

(including 4-litre LCD-indicator reserve)

Suspension Front 41 mm inverted telescopic fork, 120 mm axle travel

Suspension Rear Monoshock damper with 7-step adjustable pre-load, 128 mm axle travel

Wheels Front Hollow-section 5-spoke cast aluminium

Wheels Rear Hollow-section 5-spoke cast aluminium

Tyres Front 120/70 - ZR17M/C (58W)

Tyres Rear 180/55 - ZR17M/C (73W)

Brakes Front 296 x 4.5 mm dual hydraulic disc with dual-piston (*three-piston) callipers, floating rotors (*ABS) and sintered metal pads

Brakes Rear 240 x 5 mm hydraulic disc with single-piston calliper (*ABS) and sintered metal pads

Frame Mono-backbone; rectangular-section gravity die-cast aluminium

Caster Angle 25°

Trail 99 mm

Dry Weight 173 kg (*177 kg)

* Combined ABS version



Pearl Amber Yellow



Pearl Night Star Black



Candy Xenon Blue



Pearl Siena Red

Honda machines sold in your area are those most suited to local conditions. Specifications, appearance and availability may differ depending on markets, and are subject to change without notice. For details, please consult your nearest Honda dealer.

HONDA

The Power of Dreams



The specific details of this brochure do not apply to any particular product supplied or offered for sale. Manufacturers reserve the right to vary specifications, including colours, with or without notice at such times in such manner as deemed appropriate. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult your dealer for details regarding the specifications of any featured product. This publication shall not constitute - under any circumstances whatsoever - an offer by the Company to any individual. All sales are made by the Distributor or Dealer subject to and with the benefit of the standard Conditions of Sale and Warranty provided by the Distributor or Dealer, copies of which may be obtained upon request. This publicity material conforms to the UK-only Trade Descriptions Act (1968). While efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specific details with the supplying Dealer, especially if a selection is dependent upon one of the features advertised.

Honda (UK) - Motorcycles

470 London Road, Slough, Berkshire, SL3 8QY England

Honda Contact Centre - Telephone: 0845 200 8000

www.honda.co.uk



 Printed on Recycled Paper



A division of Honda Motor Europe Ltd. No. 857969 Registered in England and Wales